

Model SK320LC-6E

Serial YC09-03222

Year 2004

Hours 5946

Photos taken at Feb. 05, 2021











**6D16-TLE2A**  
 TOTAL CYL. VOL. 7.54L(460cu.in)  
 OUT PUT 184 kW / 2200 min<sup>-1</sup>  
 MITSUBISHI FUSO TRUCK & BUS CORPORATION  
 TOKYO JAPAN M267

VALVE CLEARANCE (COLD)  
 INLET & EXHAUST 0.4mm(0.016in)  
 FIRING ORDER 1-5-3-6-2-4  
 FUEL INJECTION TIMING 8° BTDC

**6D16-TLU2D**  
 ENGINE FAMILY: L07 5D1E  
 \*97/68EA\*2002/88\*0077\*02

**IMPORTANT ENGINE INFORMATION**

THIS ENGINE CONFORMS TO 2004 U.S. EPA REGULATIONS LARGE NONROAD COMPRESSION-IGNITION ENGINES AND 2004 CALIFORNIA REGULATIONS FOR HEAVY-DUTY OFF-ROAD DIESEL CYCLE ENGINES.  
 THIS ENGINE IS CERTIFIED TO OPERATE ON COMMERCIALLY AVAILABLE DIESEL FUEL.

EMISSION CONTROL SYSTEM: EMLCM/CR; ENGINE MODEL: 6D16-TL2A  
 ENGINE FAMILY: 4MPT-L07 5D60  
 ENGINE DISPLACEMENT: 7.545 LITERS; FIRING ORDER: 1-5-3-6-2-4  
 INJECTION TIMING: 8° BTDC; RATED HP (SAE): 261 @2200 RPM  
 VALVE LASH (COLD): 0.016 IN  
 FUEL RATE AT RATED HP: 129 mm<sup>3</sup>/STROKE

**MITSUBISHI FUSO**  
 TRUCK & BUS CORPORATION M242200































