**Model SK135SR-5F** **Serial YY08-32813**
**Year 2018** **Hours 4373**

**Photos taken at May 03, 2025**

KOBELCO
Manufacturer : KOBELCO CONSTRUCTION MACHINERY CO.,LTD.(JAPAN)
Model : SK135SR-5F
Serial Number : YY08-32813
YN20T02841P1

YY08-32813

0:35
4364.2h
S
H
C
F
E
ECO


1:00
4364.6h
H
F
ECO
C
E

2:39
4366.3h
H
F
ECO
C
E

1:09
4373.8h
H
F
ECO
C
E

ROPS CERTIFICATION
This structure is tested and meets the ROPS requirements of ISO 12117-2 : 2008.
OPERATOR PROTECTIVE GUARDS CERTIFICATION
This structure is tested and meets the requirements of TOP GUARD : LEVEL(I). ISO 10262 : 1998.
PRODUCT IDENTIFICATION NUMBER
YY08-32813
MACHINE MODEL
SK135SR-5F
SERIAL No.
R0036080
MAX. MASS
13700
WARNING
・The modification and rework causing the deterioration of the strength are not allowed.
・Don't use the parts other than the specified parts.
・When the skylight is open, the cab doesn't comply with TOP GUARD Level (I).
PRODUCED BY KOBELCO CONSTRUCTION MACHINERY CO., LTD. TOKYO, JAPAN.
YY20T01398P2


AR-4JJ1XASK-01
AG/BI
ISUZU
ISUZU MOTORS LTD.
MADE IN JAPAN


EngNo 244709 4JJ1 878
#1
#2
#3
#4
#5
#6

ISUZU EMISSION CONTROL INFORMATION
ISUZU MOTORS LTD. MADE IN JAPAN
THIS ENGINE COMPLIES WITH U.S. EPA REGULATIONS FOR 2018 MY NONROAD DIESEL ENGINES AND CALIFORNIA REGULATIONS FOR 2018 MY OFF-ROAD DIESEL ENGINES.
ENGINE FAMILY : JSZXL03.0RXA
ENGINE CODE : 4JJ1XDRAC-02
MODEL : AR-4JJ1X
POWER CATEGORY: 56 ≤kW< 130
EXHAUST EMISSION CONTROL SYSTEM : ECM, TC, CAC, DFI, EGR, DOC, SCR-U, AMOX
ULTRA LOW SULFUR FUEL ONLY
DELEGATED ASSEMBLY
SEE SERVICE MANUAL FOR MODEL SPECIFICATIONS.
ADVERTISED POWER (SAE NET) : 78.5 kW/ 2000 RPM
FUEL RATE : 80.9 mm³/st.
VALVE LASH (COLD) INL/EXH : 0.15/ 0.15 mm
CURB IDLE : 1100 RPM
DATE OF MANUFACTURE:06/'18
THIS ENGINE IS CONFORMED 97/68/EC DIRECTIVE.
ENGINE FAMILY: 4JJ1XDRA
ENGINE TYPE : 4JJ1XDRAC
TYPE APPROVAL NUMBER : e4*97/68RA*2012/46*0354*01
ENGINE ID NUMBER: 4JJ1-244709
18NJ27
酸化炭素等発散防止装置
XDRA ディーゼル機関
GSNJ06







'97 基準値
超低騒音型
国土交通省指定
特定特殊自動車
軽油
排出ガス2014年基準
適合車
環境省・経済産業省・国土交通省