

**Model SK135SRDLC-3 Serial YH07-10684**  
**Year 2017 Hours 5673**

**Photos taken at Feb. 06, 2024**





SK135SRDLC-3 油圧ショベル			
車名及び型式	コベルコ WDP-YY07/YH07		
定格出力	69.2kW/2000min <sup>-1</sup>		
最高走行速度	5.6km/h		
仕様	兼用バックホウ	超ロング	セレートブーム 別働安全衛生法に よる最も不利な仕様
バケット容量	0.5m <sup>3</sup>	-	0.5m <sup>3</sup>
バケット質量	410kg	-	410kg
最大積載質量 (含バケット)	1550kg	-	1140kg
シユ-幅	600mm	600mm	600mm
機 体 質 量	12800kg	12800kg	12800kg
機 械 質 量	15800kg	16300kg	16400kg
機 械 総 質 量	17400kg	17900kg	18000kg
平均接地圧	59kPa (500mmシユ-)	59kPa (500mmシユ-)	59kPa (500mmシユ-)
*1 アタッチメント 質量可能質量	1550kg	*2 1550kg	*2 1550kg

\*1 解体用つかみ具、鉄骨切断具、コンクリート圧砕具、ブレーカユニット等で本体の安定度から計算された最大の質量です。  
解体用つかみ具は増んだ物の質量を含みます。  
油圧、油圧等に適合したものを表層してください。  
\*2 特定解体用機械として作業範囲制限 (JIS A83#0-4) があります。

コベルコ建機株式会社  
YY20T0153SP3





30 キカイ ジョウホウ

アフメータ	5683
トリップ メータ	5683
ソウサ	3754
ソウコウ	223
センカイ	2137
ブレーカ	33
ハイリーチ	0
スタータ	6650

NO. 30 キカイ ジョウホウ

アフメータ	5684
トリップ メータ	5684
ソウサ	3754
ソウコウ	223
センカイ	2137
ブレーカ	33
ハイリーチ	0
スタータ	6659

















































































