

Model 910K  
Year 2017

Serial CAT0910KAAY402493  
Hours 2753

Photos taken at Nov. 27, 2023



\*CAT0910KAAY402493\*

MODEL NUMBER	910K	CAT <sup>®</sup> CATERPILLAR <sup>®</sup>									
PRODUCT IDENTIFICATION NUMBER	*CAT0910KAAY402493*										
<table border="1"> <thead> <tr> <th>MODEL NUMBER</th> <th>SERIAL NUMBER</th> <th>ARRANGEMENT NUMBER</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>26E1416</td> <td>4610641</td> </tr> <tr> <td>0</td> <td>1A758072</td> <td>3962513</td> </tr> </tbody> </table>			MODEL NUMBER	SERIAL NUMBER	ARRANGEMENT NUMBER	0	26E1416	4610641	0	1A758072	3962513
MODEL NUMBER	SERIAL NUMBER	ARRANGEMENT NUMBER									
0	26E1416	4610641									
0	1A758072	3962513									
Month and Year of Manufacture		CATERPILLAR INC. PEORIA, IL 61659 USA									
2017 01		MADE IN USA OF DOMESTIC AND FOREIGN COMPONENTS									

910K-2 ホイールローダ		仕様	
項目	単位	標準	オプション仕様
機械総質量	kg	9400	11150
最大積載質量	kg	2400	2050
平均接地圧	kPa (kg/cm <sup>2</sup> )	196 (2.0)	204 (2.1)
安定度 (静的安定度)	前	15	14
	後	21	17
	左	13	10
	右	13	10
機体質量	kg	4650	5050
定格出力	kW (PS)	72 (98)	
最高走行速度	km/h	標準 34 (標準牽引) / 39 (高牽引)	後進 30
最大積載質量	kg	2950	2700

備考: 最大積載質量にはバケット質量含まず  
アタッチメント装着可能質量にはエンジン、カブラーを含む  
キャタピラー・ジャパン 株式会社 494-0020-00





































































